









Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3A Fishing Vessels – (any length)

Seagoing Fishing Vessel for use in Unlimited domestic operations. (*Unlimited domestic operations: all domestic operations up to and/or greater than 200 nautical miles to seaward of the coast.*)

	Liferafts and rescue boats	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	Buoyant appliances (general)	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	Lifebuoys	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	Life jackets	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	Distress signals	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	On-board communications and alarm systems	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	Emergency lighting (hand-held)	<ul style="list-style-type: none"> • Marine Orders Part 25 applies.
	Medical supplies	<ul style="list-style-type: none"> • Marine Orders Part 10 applies.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3B Fishing Vessels – 60 metres or longer

Seagoing Fishing Vessel, 60 metres or longer, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 8 x Lifebuoys: 2 with lights; 2 with lights and smoke signals; 2 with buoyant lines; 2 of operator's choice.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 6 x Parachute distress rockets. 4 x Red hand-held flares. 2 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 2 x Battery operated torches.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale E of Tables H.4 & H.5 and Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3B Fishing Vessels – Between 45 metres and less than 60 metres in length

Seagoing Fishing Vessel, from 45 metres and less than 60 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 6 x Lifebuoys: 1 with a light; 2 with lights and smoke signal; 2 with buoyant lines; 1 of operator's choice.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 6 x Parachute distress rockets. 4 x Red hand-held flares. 2 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 2 x Battery operated torches.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale E of Tables H.4 & H.5 and Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3B Fishing Vessels – Between 25 metres and less than 45 metres in length

Seagoing Fishing Vessel, from 25 metres and less than 45 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 4 x Lifebuoys: 2 with lights and smoke signals; 2 with buoyant lines.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 6 x Parachute distress rockets. 4 x Red hand-held flares. 2 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 2 x Battery operated torches.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale E of Tables H.4 & H.5 and Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.







Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3B Fishing Vessels – Between 15 metres and less than 25 metres in length

Seagoing Fishing Vessel, from 15 metres and less than 25 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 Liferafts	<ul style="list-style-type: none"> • Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.
 Lifebuoys	<ul style="list-style-type: none"> • 2 x lifebuoys: 1 with a light; 1 with a buoyant line.
 Life jackets	<ul style="list-style-type: none"> • Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg.
 Distress signals	<ul style="list-style-type: none"> • 1 x 406MHz Electronic Position Indicating Radio Beacon. • 6 x Parachute distress rockets. • 4 x Red hand-held flares. • 2 x Orange hand-held smoke flares.
 Emergency lighting (hand-held)	<ul style="list-style-type: none"> • 2 x Battery operated torches.
 Medical supplies	<ul style="list-style-type: none"> • Annex H: Scale E of Tables H.4 & H.5 and Scale F of Table H.3. <ul style="list-style-type: none"> – The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. – Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.







Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3B Fishing Vessels – Less than 15 metres in length

Seagoing Fishing Vessel, less than 15 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p>Liferafts</p>	<ul style="list-style-type: none"> • Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> • 1 x lifebuoy with a light.
 <p>Life jackets</p>	<ul style="list-style-type: none"> • Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with light for each passenger less than 32kg.
 <p>Distress signals</p>	<ul style="list-style-type: none"> • 1 x 406MHz Electronic Position Indicating Radio Beacon. • 6 x Parachute distress rockets. • 4 x Red hand-held flares. • 2 x Orange hand-held smoke flares.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> • 2 x Battery operated torches.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> • Annex H: Scale E of Tables H.4 & H.5 and Scale F of Table H.3. <ul style="list-style-type: none"> – The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. – Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.










Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3C Fishing Vessels – 60 metres or longer

Seagoing Fishing Vessel, 60 metres or longer, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 8 x Lifebuoys: 2 with lights; 2 with lights and smoke signals; 2 with buoyant lines; 2 of operator's choice.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3C Fishing Vessels – Between 45 metres and less than 60 metres in length

Seagoing Fishing Vessel, from 45 metres and less than 60 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth, partially smooth or restricted offshore waters or a safe haven*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 6 x Lifebuoys: 1 with a light; 2 with lights and smoke signal; 2 with buoyant lines; 1 of operator's choice.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3C Fishing Vessels – Between 25 metres and less than 45 metres in length

Seagoing Fishing Vessel, from 25 metres and less than 45 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 4 x Lifebuoys: 2 with lights and smoke signals; 2 with buoyant lines.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.







Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3C Fishing Vessels – Between 15 metres and less than 25 metres in length

Seagoing Fishing Vessel, from 15 metres and less than 25 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 Liferafts	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.
 Lifebuoys	<ul style="list-style-type: none"> 2 x lifebuoys: 1 with a light; 1 with a buoyant line.
 Life jackets	<ul style="list-style-type: none"> Coastal Life Jacket with light for 100% of allowable crew and any other persons on board.
 Distress signals	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 Emergency lighting (hand-held)	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 Medical supplies	<ul style="list-style-type: none"> Annex H: Scale F of Table H.3. <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.







Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3C Fishing Vessels – Less than 15 metres in length

Seagoing Fishing Vessel, less than 15 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p>Liferafts</p>	<ul style="list-style-type: none"> • Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board. <ul style="list-style-type: none"> – A Liferafts is not required if the vessel is fitted with internal buoyancy in accordance with NSCV Part C section 6.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> • 1 x Lifebuoy with light. <ul style="list-style-type: none"> – A Lifebuoy is not required if the vessel is less than 10m in length and carries 1 x person only. – A Lifebuoy is not required if the vessel is less than 6 m in length and is fitted with internal buoyancy in accordance with the NSCV Part C, section 6.
 <p>Life jackets</p>	<ul style="list-style-type: none"> • Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> • 1 x 406MHz Electronic Position Indicating Radio Beacon. • 3 x Parachute distress rockets. • 2 x Red hand-held flares. • 1 x Orange hand-held smoke flares.
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> • 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> • Annex H: Scale F of Table H.3. <ul style="list-style-type: none"> – The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. – Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.









Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3D Fishing Vessels – 25 metres or longer

Sheltered Waters Fishing Vessel, 25 metres or longer, for use in Partially Smooth and Smooth waters only. (*Partially Smooth water operations: operations within specified geographical limits designated 'Partially Smooth waters' or 'Smooth waters'*)

	<p>Dinghy and Buoyant Appliances (general)</p>	<ul style="list-style-type: none"> • A dinghy <u>plus</u> sufficient buoyant appliances and/or lifebuoys for 100% of allowable crew and any other persons on board: <ul style="list-style-type: none"> – A lifebuoy is expected to provide support for 2 persons. – A reduction in buoyant appliance capacity may be allowable in accordance with Part B of the NSCV.
	<p>Lifebuoys</p>	<ul style="list-style-type: none"> • 2 x lifebuoys: 1 with a light; 1 with a buoyant line. <ul style="list-style-type: none"> – These lifebuoys can be included as part of the Buoyant Appliances (general).
	<p>Life jackets</p>	<ul style="list-style-type: none"> • Coastal Life Jacket for 100% of allowable crew and any other persons on board.
	<p>Distress signals</p>	<ul style="list-style-type: none"> • 3 x Parachute distress rockets. • 2 x Red hand-held flares. • 1 x Orange hand-held smoke flare.
	<p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> • 1 x Battery operated torch for each crew member.
	<p>Medical supplies</p>	<ul style="list-style-type: none"> • Annex H: Scale G of Table H.3. <ul style="list-style-type: none"> – The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. – Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.



Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3D Fishing Vessels – Between 15 metres and less than 25 metres in length

Sheltered Waters Fishing Vessel, from 15 metres and less than 25 metres in length, for use in Partially Smooth and Smooth Waters only. (*Partially Smooth water operations: operations within specified geographical limits designated 'Partially Smooth waters' or 'Smooth waters'*)

	Buoyant Appliances (general)	<ul style="list-style-type: none"> Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board. <ul style="list-style-type: none"> A lifebuoy is expected to provide support for 2 persons. Vessel must have suitable equipment to sustain and effectively recover persons overboard including: heaving line with rescue quoit, ladder, rescue sling, scramble net etc.
	Lifebuoys	<ul style="list-style-type: none"> 2 x lifebuoys: 1 with a light; 1 with a buoyant line. <ul style="list-style-type: none"> These lifebuoys can be included as part of the Buoyant Appliances (general).
	Life jackets	<ul style="list-style-type: none"> Coastal Life Jacket for 100% of allowable crew and any other persons on board.
	Distress signals	<ul style="list-style-type: none"> 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flare.
	Emergency lighting (hand-held)	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
	Medical supplies	<ul style="list-style-type: none"> Annex H: Scale G of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.

Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3D Fishing Vessels – Less than 15 metres in length

Sheltered Waters Fishing Vessel, less than 15 metres in length, for use in Partially Smooth and Smooth Waters only. (*Partially Smooth water operations: operations within specified geographical limits designated ‘Partially Smooth waters’ or ‘Smooth waters’*)

	Buoyant Appliances (general)	<ul style="list-style-type: none"> Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board. <ul style="list-style-type: none"> A lifebuoy is expected to provide support for 2 persons. Buoyant appliances are not required if the vessel is fitted with internal buoyancy in accordance with NSCV Part C section 6.
	Lifebuoys	<ul style="list-style-type: none"> 1 x Lifebuoy with a light. <ul style="list-style-type: none"> This lifebuoy can be included as part of the Buoyant Appliances (general).
	Life jackets	<ul style="list-style-type: none"> Coastal Life Jacket for 100% of allowable crew and any other persons on board.
	Distress signals	<ul style="list-style-type: none"> 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flare.
	Emergency lighting (hand-held)	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
	Medical supplies	<ul style="list-style-type: none"> Annex H: Scale G of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.









Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3E Fishing Vessels – 15 metres or longer

Sheltered Waters Fishing Vessel, 15 metres or longer, for use in Smooth waters only. (*Smooth water operations: operations within specified geographical limits designated ‘Smooth waters’*)

	<p>Buoyant Appliances (general)</p>	<ul style="list-style-type: none"> Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board. <ul style="list-style-type: none"> A lifebuoy is expected to provide support for 2 persons. Vessel must have suitable equipment to sustain and effectively recover persons overboard including: heaving line with rescue quoit, ladder, rescue sling, scramble net etc.
	<p>Lifebuoys</p>	<ul style="list-style-type: none"> 2 x lifebuoys: 1 with a light; 1 with a buoyant line. <ul style="list-style-type: none"> These lifebuoys can be included as part of the Buoyant Appliances (general).
	<p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket for 100% of allowable crew and any other persons on board.
	<p>Distress signals</p>	<ul style="list-style-type: none"> 2 x Red hand-held flares. 1 x Orange hand-held smoke flare.
	<p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
	<p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: Scale G of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.







Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 3E Fishing Vessels – Less than 15 metres in length

Sheltered Waters Fishing Vessel, less than 15 metres in length, for use in Smooth waters only.
(*Smooth water operations: operations within specified geographical limits designated ‘Smooth waters’*)

	Buoyant Appliances (general)	<ul style="list-style-type: none"> Any combination of buoyant appliances, lifebuoys for 100% of allowable crew and any other persons on board. <ul style="list-style-type: none"> A lifebuoy is expected to provide support for 2 persons. Buoyant appliances are not required if the vessel is fitted with internal buoyancy in accordance with NSCV Part C section 6. Vessel must have suitable equipment to sustain and effectively recover persons overboard including: heaving line with rescue quoit, ladder, rescue sling, scramble net etc.
	Lifebuoys	<ul style="list-style-type: none"> 1 x Lifebuoy with a light. <ul style="list-style-type: none"> This lifebuoy can be included as part of the Buoyant Appliances (general).
	Life jackets	<ul style="list-style-type: none"> Coastal Life Jacket for 100% of allowable crew and any other persons on board.
	Distress signals	<ul style="list-style-type: none"> 2 x Red hand-held flares. 1 x Orange hand-held smoke flare.
	Emergency lighting (hand-held)	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
	Medical supplies	<ul style="list-style-type: none"> Annex H: Scale G of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.