








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – 60 metres or longer

Seagoing Non-Passenger Vessel, 60 metres or longer, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>8 x Lifebuoys: 2 with a light; 2 with a light and smoke signal; 2 with a buoyant line; 2 of operator's choice.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>6 x Parachute distress rockets.</li> <li>4 x Red hand-held flares.</li> <li>2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Between 45 metres and less than 60 metres in length

Seagoing Non-Passenger Vessel, from 45 metres and less than 60 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>6 x Lifebuoys: 1 with a light; 2 with a light and smoke signal; 2 with a buoyant line; 1 of operator's choice.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>6 x Parachute distress rockets.</li> <li>4 x Red hand-held flares.</li> <li>2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Between 25 metres and less than 45 metres in length

Seagoing Non-Passenger Vessel, from 25 metres and less than 45 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>4 x Lifebuoys: 2 with a light and smoke signal, 2 with a buoyant line.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>6 x Parachute distress rockets.</li> <li>4 x Red hand-held flares.</li> <li>2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>







# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Between 15 metres and less than 25 metres in length

Seagoing Non-Passenger Vessel, from 15 metres and less than 25 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <b>Liferafts</b>	<ul style="list-style-type: none"> <li>• Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.</li> </ul>
 <b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>• 2 x lifebuoys: 1 with a light; 1 with a buoyant line.</li> </ul>
 <b>Life jackets</b>	<ul style="list-style-type: none"> <li>• Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <b>Distress signals</b>	<ul style="list-style-type: none"> <li>• 1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>• 6 x Parachute distress rockets.</li> <li>• 4 x Red hand-held flares.</li> <li>• 2 x Orange hand-held smoke flares.</li> </ul>
 <b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>• 2 x Battery operated torches.</li> </ul>
 <b>Medical supplies</b>	<ul style="list-style-type: none"> <li>• Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>







# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Less than 15 metres in length

Seagoing Non-Passenger Vessel, less than 15 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts</b></p>	<ul style="list-style-type: none"> <li>• Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.</li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>• 1 x lifebuoy with a light.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>• Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>• 1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>• 6 x Parachute distress rockets.</li> <li>• 4 x Red hand-held flares.</li> <li>• 2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>• 2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>• Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>