








Safety equipment requirements

National Standard for Commercial Vessels (NSCV) – Part C7A

Class 2D non-passenger vessels – 25 metres or longer

Sheltered waters non-passenger vessel, 25 metres or longer, for use in partially smooth and smooth waters only.

Partially smooth water operations: operations within specified geographical limits designated as 'partially smooth waters' or 'smooth waters'.

<p>Dinghy and buoyant appliances (general)</p> 	<p>A dinghy plus sufficient buoyant appliances and/or lifebuoys for 100% of allowable crew and any other people on board:</p> <ul style="list-style-type: none"> • Each lifebuoy is expected to provide support for two people. • A reduction in buoyant appliance capacity may be allowable in accordance with Part B of the NSCV.
<p>Lifebuoys</p> 	<p>Two lifebuoys – one with a light; one with a buoyant line.</p> <ul style="list-style-type: none"> • These lifebuoys can be included in buoyant appliances (general).
<p>Life jackets</p> 	<p>Coastal life jacket for 100% of allowable crew and any other people on board.</p>
<p>Distress signals</p> 	<ul style="list-style-type: none"> • Three parachute distress rockets. • Two red hand-held flares. • One orange hand-held smoke flare.
<p>On board communications and alarms systems</p> 	<p>General emergency system alarm.</p>
<p>Emergency lighting (hand held)</p> 	<p>One battery operated torch for each crew member.</p>
<p>Medical supplies</p> 	<p>Annex H: Scale G of Table H.3</p> <ul style="list-style-type: none"> • The quantity of medical supplies identified in Annex H is based on incidents involving one or two people only. • Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of people on board.







Safety equipment requirements

National Standard for Commercial Vessels (NSCV) – Part C7A

Class 2D non-passenger vessels – between 15 metres and less than 25 metres in length

Sheltered waters non-passenger vessel, from 15 metres and less than 25 metres in length, for use in partially smooth and smooth waters only.

Partially smooth water operations: operations within specified geographical limits designated as 'partially smooth waters' or 'smooth waters'.

<p>Dinghy and buoyant appliances (general)</p> 	<p>Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other people on board:</p> <ul style="list-style-type: none"> • Each lifebuoy is expected to provide support for two people. • A reduction in buoyant appliance capacity may be allowable in accordance with Part B of the NSCV. <p>Vessel must have suitable equipment to sustain and effectively recover people overboard including heaving line with rescue quoit, ladder, rescue sling, scramble net and so on.</p>
<p>Lifebuoys</p> 	<p>Two lifebuoys – one with a light; one with a buoyant line.</p> <ul style="list-style-type: none"> • These lifebuoys can be included in buoyant appliances (general).
<p>Life jackets</p> 	<p>Coastal life jacket for 100% of allowable crew and any other people on board.</p>
<p>Distress signals</p> 	<ul style="list-style-type: none"> • Three parachute distress rockets. • Two red hand-held flares. • One orange hand-held smoke flare.
<p>Emergency lighting (hand held)</p> 	<p>One battery operated torch for each crew member.</p>
<p>Medical supplies</p> 	<p>Annex H: Scale G of Table H.3</p> <ul style="list-style-type: none"> • The quantity of medical supplies identified in Annex H is based on incidents involving one or two people only. • Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of people on board.







Safety equipment requirements

National Standard for Commercial Vessels (NSCV) – Part C7A

Class 2D non-passenger vessels – less than 15 metres in length

Sheltered waters non-passenger vessel, less than 15 metres in length, for use in partially smooth and smooth waters only.

Partially smooth water operations: operations within specified geographical limits designated as 'partially smooth waters' or 'smooth waters'.

<p>Buoyant appliances (general)</p> 	<p>Sufficient buoyant appliances, lifebuoys or both for 100% complement; or a dinghy for 100% of allowable crew and any other people on board.</p> <ul style="list-style-type: none"> • Each lifebuoy is expected to provide support for two people. • Buoyant appliances not required if vessel is fitted with internal buoyancy in accordance with NSCV Part C, section 6.
<p>Lifebuoys</p> 	<p>One lifebuoy with a light.</p> <ul style="list-style-type: none"> • This lifebuoy can be included in buoyant appliances (general).
<p>Life jackets</p> 	<p>Coastal life jacket for 100% of allowable crew and any other people on board.</p>
<p>Distress signals</p> 	<ul style="list-style-type: none"> • Three parachute distress rockets. • Two red hand-held flares. • One orange hand-held smoke flare.
<p>Emergency lighting (hand held)</p> 	<p>One battery operated torch for each crew member.</p>
<p>Medical supplies</p> 	<p>Annex H: Scale G of Table H.3</p> <ul style="list-style-type: none"> • The quantity of medical supplies identified in Annex H is based on incidents involving one or two people only. • Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of people on board.