









Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 1C Passenger Vessels – 60 metres or longer

Seagoing Passenger Vessel, 60 metres or longer, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 8 x Lifebuoys: 2 with lights; 2 with a light and smoke signal; 2 with a buoyant line; 2 of operator's choice.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 <p>Line Throwing Appliance</p>	<ul style="list-style-type: none"> 4 x Rockets and lines.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system. Public address system (if no effective means of addressing passengers in time of emergency).
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: <ul style="list-style-type: none"> Berthed passengers Scale E of Tables H.4 and H.5 and Scale F of Table H.3 Unberthed Scale F of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.









Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 1C Passenger Vessels – Between 45 metres and less than 60 metres in length

Seagoing Passenger Vessel, from 45 metres and less than 60 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth, partially smooth or restricted offshore waters or a safe haven*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 6 x Lifebuoys: 1 with a light; 2 with a light and a smoke signal; 2 with a buoyant line; 1 of operator's choice.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 <p>Line Throwing Appliance</p>	<ul style="list-style-type: none"> 4 x Rockets and lines.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system. Public address system (if no effective means of addressing passengers in time of emergency).
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: <ul style="list-style-type: none"> Berthed passengers Scale E of Tables H.4 and H.5 and Scale F of Table H.3 Unberthed Scale F of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 1C Passenger Vessels – Between 25 metres and less than 45 metres in length

Seagoing Passenger Vessel, from 25 metres and less than 45 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p>Liferafts and rescue boats</p>	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat. <ul style="list-style-type: none"> Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.
 <p>Lifebuoys</p>	<ul style="list-style-type: none"> 4 x Lifebuoys: 2 with a light and a smoke signal; 2 with a buoyant line.
 <p>Life jackets</p>	<ul style="list-style-type: none"> Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 <p>Distress signals</p>	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 <p>On-board communications and alarm systems</p>	<ul style="list-style-type: none"> General emergency alarm system. Public address system (if no effective means of addressing passengers in time of emergency).
 <p>Emergency lighting (hand-held)</p>	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 <p>Medical supplies</p>	<ul style="list-style-type: none"> Annex H: <ul style="list-style-type: none"> <u>Berthed passengers</u> Scale E of Tables H.4 and H.5 and Scale F of Table H.3 <u>Unberthed</u> Scale F of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.








Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 1C Passenger Vessels – Between 10 metres and less than 25 metres in length

Seagoing Passenger Vessel, from 10 metres and less than 25 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 Liferafts	<ul style="list-style-type: none"> Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.
 Lifebuoys	<ul style="list-style-type: none"> 2 x lifebuoys: 1 with a light; 1 with a buoyant line.
 Life jackets	<ul style="list-style-type: none"> Coastal Life Jacket with light for 100% of allowable crew and any other persons on board.
 Distress signals	<ul style="list-style-type: none"> 1 x 406MHz Electronic Position Indicating Radio Beacon. 3 x Parachute distress rockets. 2 x Red hand-held flares. 1 x Orange hand-held smoke flares.
 On-board communications and alarm systems	<ul style="list-style-type: none"> Public address system (if no effective means of addressing passengers in time of emergency).
 Emergency lighting (hand-held)	<ul style="list-style-type: none"> 1 x Battery operated torch for each crew member.
 Medical supplies	<ul style="list-style-type: none"> Annex H: <ul style="list-style-type: none"> Berthed passengers Scale E of Tables H.4 and H.5 and Scale F of Table H.3 Unberthed Scale F of Table H.3 <ul style="list-style-type: none"> The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.







Your new safety equipment requirements



REQUIRED SAFETY EQUIPMENT

Class 1C Passenger Vessels – Less than 10 metres in length

Seagoing Passenger Vessel, less than 10 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 Liferafts	<ul style="list-style-type: none"> • Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.
 Life jackets	<ul style="list-style-type: none"> • Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.
 Distress signals	<ul style="list-style-type: none"> • 1 x 406MHz Electronic Position Indicating Radio Beacon. • 3 x Parachute distress rockets. • 2 x Red hand-held flares. • 1 x Orange hand-held smoke flares.
 On-board communications and alarm systems	<ul style="list-style-type: none"> • Public address system (if no effective means of addressing passengers in time of emergency).
 Emergency lighting (hand-held)	<ul style="list-style-type: none"> • 1 x Battery operated torch for each crew member.
 Medical supplies	<ul style="list-style-type: none"> • Annex H: <ul style="list-style-type: none"> – Berthed passengers Scale E of Tables H.4 and H.5 and Scale F of Table H.3 – Unberthed Scale F of Table H.3 <ul style="list-style-type: none"> • The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only. • Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.