









# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2A Non-Passenger Vessels – (any length)

Seagoing Non-Passenger Vessel for use in Unlimited domestic operations. *(Unlimited domestic operations: all domestic operations up to and/or greater than 200 nautical miles to seaward of the coast.)*

	<b>Liferafts and rescue boats</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>Buoyant appliances (general)</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>Life jackets</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>Distress signals</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>On-board communications and alarm systems</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 25 applies.</li> </ul>
	<b>Medical supplies</b>	<ul style="list-style-type: none"> <li>• Marine Orders Part 10 applies.</li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – 60 metres or longer

Seagoing Non-Passenger Vessel, 60 metres or longer, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>8 x Lifebuoys: 2 with a light; 2 with a light and smoke signal; 2 with a buoyant line; 2 of operator's choice.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>6 x Parachute distress rockets.</li> <li>4 x Red hand-held flares.</li> <li>2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Between 45 metres and less than 60 metres in length

Seagoing Non-Passenger Vessel, from 45 metres and less than 60 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>6 x Lifebuoys: 1 with a light; 2 with a light and smoke signal; 2 with a buoyant line; 1 of operator's choice.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>6 x Parachute distress rockets.</li> <li>4 x Red hand-held flares.</li> <li>2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Between 25 metres and less than 45 metres in length

Seagoing Non-Passenger Vessel, from 25 metres and less than 45 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>4 x Lifebuoys: 2 with a light and smoke signal, 2 with a buoyant line.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>6 x Parachute distress rockets.</li> <li>4 x Red hand-held flares.</li> <li>2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>







# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Between 15 metres and less than 25 metres in length

Seagoing Non-Passenger Vessel, from 15 metres and less than 25 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <b>Liferafts</b>	<ul style="list-style-type: none"> <li>• Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.</li> </ul>
 <b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>• 2 x lifebuoys: 1 with a light; 1 with a buoyant line.</li> </ul>
 <b>Life jackets</b>	<ul style="list-style-type: none"> <li>• Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <b>Distress signals</b>	<ul style="list-style-type: none"> <li>• 1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>• 6 x Parachute distress rockets.</li> <li>• 4 x Red hand-held flares.</li> <li>• 2 x Orange hand-held smoke flares.</li> </ul>
 <b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>• 2 x Battery operated torches.</li> </ul>
 <b>Medical supplies</b>	<ul style="list-style-type: none"> <li>• Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>







# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2B Non-Passenger Vessels – Less than 15 metres in length

Seagoing Non-Passenger Vessel, less than 15 metres in length, for use in all operational areas up to and including Offshore operations. (*Offshore Operations: operations within a limit of 200 nautical miles to seaward of the coast*)

 <p><b>Liferafts</b></p>	<ul style="list-style-type: none"> <li>• Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.</li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>• 1 x lifebuoy with a light.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>• Adult SOLAS Life Jacket with a light for 100% of allowable crew and any other persons on board plus a Child size SOLAS Life Jacket with a light for each passenger less than 32kg or 10% of the total vessel capacity which ever is the greater.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>• 1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>• 6 x Parachute distress rockets.</li> <li>• 4 x Red hand-held flares.</li> <li>• 2 x Orange hand-held smoke flares.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>• 2 x Battery operated torches.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>• Annex H: Scale E of Tables H.4 and H.5 and Scale F of Table H.3.                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>










# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2C Non-Passenger Vessels – 60 metres or longer

Seagoing Non-Passenger Vessel, 60 metres or longer, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>8 x Lifebuoys: 2 with a light; 2 with a light and smoke signal; 2 with a buoyant line; 2 of operator's choice.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>3 x Parachute distress rockets.</li> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale F of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2C Non-Passenger Vessels – Between 45 metres and less than 60 metres in length

Seagoing Non-Passenger Vessel, from 45 metres and less than 60 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth, partially smooth or restricted offshore waters or a safe haven*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board <u>plus</u> a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>6 x Lifebuoys: 1 with a light; 2 with a light and a smoke signal; 2 with a buoyant line; 1 of operator's choice.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>3 x Parachute distress rockets.</li> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale F of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>








# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2C Non-Passenger Vessels – Between 25 metres and less than 45 metres in length

Seagoing Non-Passenger Vessel, from 25 metres and less than 45 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <p><b>Liferafts and rescue boats</b></p>	<ul style="list-style-type: none"> <li>Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board plus a non-SOLAS Rescue Boat.                             <ul style="list-style-type: none"> <li>Vessels continuously engaged on voyages in operational areas with a monthly mean temperature of 15° C or less must carry an anti-exposure suit for each person assigned to crew the Rescue Boat.</li> </ul> </li> </ul>
 <p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>4 x Lifebuoys: 2 with a light and a smoke signal; 2 with a buoyant line.</li> </ul>
 <p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.</li> </ul>
 <p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>3 x Parachute distress rockets.</li> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flares.</li> </ul>
 <p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system.</li> </ul>
 <p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
 <p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale F of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>









# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2C Non-Passenger Vessels – Between 15 metres and less than 25 metres in length

Seagoing Non-Passenger Vessel, from 15 metres and less than 25 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <b>Liferafts</b>	<ul style="list-style-type: none"> <li>• Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.</li> </ul>
 <b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>• 2 x lifebuoys: 1 with a light; 1 with a buoyant line.</li> </ul>
 <b>Life jackets</b>	<ul style="list-style-type: none"> <li>• Coastal Life Jacket with light for 100% of allowable crew and any other persons on board.</li> </ul>
 <b>Distress signals</b>	<ul style="list-style-type: none"> <li>• 1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>• 3 x Parachute distress rockets.</li> <li>• 2 x Red hand-held flares.</li> <li>• 1 x Orange hand-held smoke flares.</li> </ul>
 <b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>• 1 x Battery operated torch for each crew member.</li> </ul>
 <b>Medical supplies</b>	<ul style="list-style-type: none"> <li>• Annex H: Scale F of Table H.3                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>







# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2C Non-Passenger Vessels – Less than 15 metres in length

Seagoing Non-Passenger Vessel, less than 15 metres in length, for use in all operational areas up to and including Restricted offshore operations. (*Restricted offshore operations: operations within a limit of 50 nautical miles seaward from designated smooth or partially smooth waters, designated restricted offshore waters or a safe haven*)

 <b>Liferafts</b>	<ul style="list-style-type: none"> <li>• Inflatable Coastal Liferaft(s) for 100% of allowable crew and any other persons on board.                             <ul style="list-style-type: none"> <li>– Not required if vessel is fitted with internal buoyancy in accordance with NSCV Part C section 6</li> </ul> </li> </ul>
 <b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>• 1 lifebuoy with a light.                             <ul style="list-style-type: none"> <li>– Not required if vessel is less than 10m in length and carries one person only;</li> <li>– Not required if vessel is less than 6m in length and is fitted with internal buoyancy in accordance with NSCV Part C section 6.</li> </ul> </li> </ul>
 <b>Life jackets</b>	<ul style="list-style-type: none"> <li>• Coastal Life Jacket with a light for 100% of allowable crew and any other persons on board.</li> </ul>
 <b>Distress signals</b>	<ul style="list-style-type: none"> <li>• 1 x 406MHz Electronic Position Indicating Radio Beacon.</li> <li>• 3 x Parachute distress rockets.</li> <li>• 2 x Red hand-held flares.</li> <li>• 1 x Orange hand-held smoke flares.</li> </ul>
 <b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>• 1 x Battery operated torch for each crew member.</li> </ul>
 <b>Medical supplies</b>	<ul style="list-style-type: none"> <li>• Annex H: Scale F of Table H.3                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>

# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2D Non-Passenger Vessels – 25 metres or longer

Sheltered Waters Non-Passenger Vessel, 25 metres or longer, for use in Partially Smooth and Smooth waters only. (*Partially Smooth water operations: operations within specified geographical limits designated 'Partially Smooth waters' or 'Smooth waters'*)

	<b>Dinghy and Buoyant Appliances (general)</b>	<ul style="list-style-type: none"> <li>• A dinghy <u>plus</u> sufficient buoyant appliances and/or lifebuoys for 100% of allowable crew and any other persons on board:                             <ul style="list-style-type: none"> <li>– Each lifebuoy is expected to provide support for 2 persons.</li> <li>– A reduction in buoyant appliance capacity may be allowable in accordance with Part B of the NSCV.</li> </ul> </li> </ul>
	<b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>• 2 x lifebuoys: 1 with a light; 1 with a buoyant line.                             <ul style="list-style-type: none"> <li>– These lifebuoys can be included in the Buoyant Appliances (general).</li> </ul> </li> </ul>
	<b>Life jackets</b>	<ul style="list-style-type: none"> <li>• Coastal Life Jacket for 100% of allowable crew and any other persons on board.</li> </ul>
	<b>Distress signals</b>	<ul style="list-style-type: none"> <li>• 3 x Parachute distress rockets.</li> <li>• 2 x Red hand-held flares.</li> <li>• 1 x Orange hand-held smoke flare.</li> </ul>
	<b>On-board communications and alarm systems</b>	<ul style="list-style-type: none"> <li>• General emergency alarm system.</li> </ul>
	<b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>• 1 x Battery operated torch for each crew member.</li> </ul>
	<b>Medical supplies</b>	<ul style="list-style-type: none"> <li>• Annex H: Scale G of Table H.3                             <ul style="list-style-type: none"> <li>– The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>– Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>

# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2D Non-Passenger Vessels – Between 15 metres and less than 25 metres in length

Sheltered Waters Non-Passenger Vessel, from 15 metres and less than 25 metres in length, for use in Partially Smooth and Smooth Waters only. (*Partially Smooth water operations: operations within specified geographical limits designated 'Partially Smooth waters' or 'Smooth waters'*)

	<b>Buoyant Appliances (general)</b>	<ul style="list-style-type: none"> <li>Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board:                             <ul style="list-style-type: none"> <li>Each lifebuoy is expected to provide support for 2 persons.</li> <li>A reduction in buoyant appliance capacity may be allowable in accordance with Part B of the NSCV</li> </ul> </li> <li>Vessel must have suitable equipment to sustain and effectively recover persons overboard including: heaving line with rescue quoit, ladder, rescue sling, scramble net etc.</li> </ul>
	<b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>2 x lifebuoys: 1 with a light; 1 with a buoyant line.                             <ul style="list-style-type: none"> <li>These lifebuoys can be included in the Buoyant Appliances (general).</li> </ul> </li> </ul>
	<b>Life jackets</b>	<ul style="list-style-type: none"> <li>Coastal Life Jacket for 100% of allowable crew and any other persons on board.</li> </ul>
	<b>Distress signals</b>	<ul style="list-style-type: none"> <li>3 x Parachute distress rockets.</li> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flare.</li> </ul>
	<b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
	<b>Medical supplies</b>	<ul style="list-style-type: none"> <li>Annex H: Scale G of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>

# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2D Non-Passenger Vessels – Less than 15 metres in length

Sheltered Waters Non-Passenger Vessel, less than 15 metres in length, for use in Partially Smooth and Smooth Waters only. (*Partially Smooth water operations: operations within specified geographical limits designated 'Partially Smooth waters' or 'Smooth waters'*)

	<b>Buoyant Appliances (general)</b>	<ul style="list-style-type: none"> <li>Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board:                             <ul style="list-style-type: none"> <li>Each lifebuoy is expected to provide support for 2 persons.</li> <li>Buoyant appliances not required if vessel is fitted with internal buoyancy in accordance with NSCV Part C section 6.</li> </ul> </li> </ul>
	<b>Lifebuoys</b>	<ul style="list-style-type: none"> <li>1 x Lifebuoy with a light.                             <ul style="list-style-type: none"> <li>This lifebuoy can be included in Buoyant Appliances (general).</li> </ul> </li> </ul>
	<b>Life jackets</b>	<ul style="list-style-type: none"> <li>Coastal Life Jacket for 100% of allowable crew and any other persons on board.</li> </ul>
	<b>Distress signals</b>	<ul style="list-style-type: none"> <li>3 x Parachute distress rockets.</li> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flare.</li> </ul>
	<b>Emergency lighting (hand-held)</b>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
	<b>Medical supplies</b>	<ul style="list-style-type: none"> <li>Annex H: Scale G of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>










# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2E Non-Passenger Vessels – 15 metres or longer

Sheltered Waters Non-Passenger Vessel, 15 metres or longer, for use in Smooth waters only.  
(*Smooth water operations: operations within specified geographical limits designated 'Smooth waters'*)

	<p><b>Buoyant Appliances (general)</b></p>	<ul style="list-style-type: none"> <li>Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board:                             <ul style="list-style-type: none"> <li>Each lifebuoy is expected to provide support for 2 persons.</li> </ul> </li> <li>Vessels less than 25m must have suitable equipment to sustain and effectively recover persons overboard including: heaving line with rescue quoit, ladder, rescue sling, scramble net etc.</li> </ul>
	<p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>2 x lifebuoys: 1 with a light; 1 with a buoyant line.                             <ul style="list-style-type: none"> <li>These lifebuoys can be included in the Buoyant Appliances (general).</li> </ul> </li> </ul>
	<p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Coastal Life Jacket for 100% of allowable crew and any other persons on board.</li> </ul>
	<p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flare.</li> </ul>
	<p><b>On-board communications and alarm systems</b></p>	<ul style="list-style-type: none"> <li>General emergency alarm system (Required for vessels 25m or longer).</li> </ul>
	<p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
	<p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale G of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>







# Your new safety equipment requirements



## REQUIRED SAFETY EQUIPMENT

### Class 2E Non-Passenger Vessels – Less than 15 metres in length

Sheltered Waters Non-Passenger Vessel, less than 15 metres in length, for use in Smooth waters only. (*Smooth water operations: operations within specified geographical limits designated 'Smooth waters'*)

	<p><b>Buoyant Appliances (general)</b></p>	<ul style="list-style-type: none"> <li>Any combination of buoyant appliances, lifebuoys and/or dinghies for 100% of allowable crew and any other persons on board:                             <ul style="list-style-type: none"> <li>Each lifebuoy is expected to provide support for 2 persons.</li> <li>Buoyant appliances not required if vessel is fitted with internal buoyancy in accordance with NSCV Part C section 6.</li> </ul> </li> <li>Vessel must have suitable equipment to sustain and effectively recover persons overboard including: heaving line with rescue quoit, ladder, rescue sling, scramble net etc.</li> </ul>
	<p><b>Lifebuoys</b></p>	<ul style="list-style-type: none"> <li>1 x Lifebuoy with a light.                             <ul style="list-style-type: none"> <li>This lifebuoy can be included in the Buoyant Appliances (general).</li> </ul> </li> </ul>
	<p><b>Life jackets</b></p>	<ul style="list-style-type: none"> <li>Coastal Life Jacket for 100% of allowable crew and any other persons on board.</li> </ul>
	<p><b>Distress signals</b></p>	<ul style="list-style-type: none"> <li>2 x Red hand-held flares.</li> <li>1 x Orange hand-held smoke flare.</li> </ul>
	<p><b>Emergency lighting (hand-held)</b></p>	<ul style="list-style-type: none"> <li>1 x Battery operated torch for each crew member.</li> </ul>
	<p><b>Medical supplies</b></p>	<ul style="list-style-type: none"> <li>Annex H: Scale G of Table H.3                             <ul style="list-style-type: none"> <li>The quantity of medical supplies identified in Annex H is based on incidents involving 1 or 2 persons only.</li> <li>Medical supplies will need to be expanded in accordance with the particular risks inherent to the voyage and the number of persons on board.</li> </ul> </li> </ul>