



**LEGEND**

- Discharge prohibited
- 1852 metre line
- Reefs (not all reefs may be shown)
- Coastal waters (3nM limit)
- Pump-out station
- Toilet

**Discharge permitted with the following restrictions:**

- No discharge within 926m of a wharf or jetty other than a jetty that is a marina
- No discharge within 1852m of an aquaculture fisheries resource (e.g. an oyster lease). If a ship has 7 to 15 persons on board, no discharge within 1852m of a reef, or the mean low water mark of an island or the mainland
- No discharge if a ship has 16 or more persons on board

**MAP S31-100-3**  
 Version 5 - effective 1 September 2018  
 Copyright: The State of Queensland 2018  
 Prepared 28 August 2018  
 Maritime Safety Queensland - Spatial Services

Untreated sewage discharge restrictions for ships other than declared ships under the *Transport Operations (Marine Pollution) Act 1995* and *Regulation 2018*

**WEIPA**

**Untreated sewage - ships other than declared ships**

To view a copy of the licence, visit <http://creativecommons.org/licenses/by/4.0/>

**SHIP-SOURCED SEWAGE – DISCHARGE REQUIREMENTS FOR THE WEIPA MAP SERIES (ONLY)**

**Sewage discharge requirements for Ships other than Declared Ships under the  
*Transport Operations (Marine Pollution) Act 1995 and Regulation 2018***

	<b>1st September 2018</b>
<b>All ships with a fixed toilet</b>	For all ships with a fixed toilet sewage must first pass through a macerator which can't be bypassed before being discharged into the marine environment, unless the fixed toilet is a composting toilet.
<b>Untreated sewage discharge requirements</b>	<p><b>Prohibited Discharge Waters</b> Illegal to discharge in coastal waters that are:</p> <ul style="list-style-type: none"> <li>- a boat harbour</li> <li>- a canal</li> <li>- a marina</li> </ul> <p><b>Smooth Waters (Includes rivers, creeks and designated smooth waters)</b> * Illegal to discharge</p> <p><b>Open Waters</b> * Illegal to discharge within ½ nautical mile (926m) of a wharf or jetty, other than a jetty that is a marina * Illegal to discharge within 1 nautical mile (1852 metres) of a person in the water, or aquaculture fisheries resources * 7 to 15 persons - Illegal to discharge within 1 nautical mile of a reef, the low water mark of an island or the mainland * 16 or more persons - Illegal to discharge in open waters</p>
<b>Treated Sewage discharge requirements</b>	<p><b>Prohibited Discharge Waters</b> Illegal to discharge in coastal waters that are:</p> <ul style="list-style-type: none"> <li>- a boat harbour</li> <li>- a canal</li> <li>- a marina</li> </ul> <p><b>Smooth Waters and Open Waters</b> Illegal to discharge Grade C Treated Sewage within ½ nautical mile (926 metres) of</p> <ul style="list-style-type: none"> <li>- a person in the water</li> <li>- aquaculture fisheries resources</li> <li>- reef</li> </ul> <p>Illegal to discharge Grade B Treated Sewage within 700 m of:</p> <ul style="list-style-type: none"> <li>- a person in the water</li> <li>- aquaculture resources</li> <li>- a reef.</li> </ul> <p>Illegal to discharge Grade A Treated Sewage in prohibited discharge waters</p> <ul style="list-style-type: none"> <li>- No other restrictions</li> </ul>
<b>On-Board Documents</b>	All vessels with a sewage treatment sytem are required to have the following on-board and available for inspection:
	<ul style="list-style-type: none"> <li>- Sewage treatment system manufacturer's details</li> <li>- Sewage treatment system documentation</li> <li>- Sewage treatment system service manual</li> <li>- Sewage treatment system service records including maintenance and assessment documentation</li> </ul>